

www.ammodyn.com

Win over Hearts & Minds

Dear Friends,

AmmoDyn, Corp. is a family-owned and operated business based in Los Angeles, California, and incorporated in Dallas, Texas. We offer a comprehensive, competitively priced line of high-quality, NATO-specification light ammunition (US Munitions list Category III).

With production agreements in Türkiye and Bulgaria, we have access to some of the finest gunpowder in the world, enabling us to offer ammunition that meets the exact specifications supplied to over 32 NATO countries worldwide, including the U.S. Department of Defense and United States Military.

Our range of FMJ munitions for civilian and military use delivers consistent minute-of-angle (MOA) accuracy, on par with military-spec ammunition, thanks to our stringent production standards. Additionally, we offer the renowned MKE line from Türkiye, a full NATO-spec civilian and military lines.

Our product catalog also showcases various shipment and packaging options tailored to each product, including unconventional box sizes designed for efficient handling and cost-effectiveness.

We are a mainly wholesale operation, and thus able to offer not just an unwavering commitment to quality but also unbeatable prices. Our goal is to establish mutually beneficial and long-lasting partnerships. We very much look forward to the opportunity to demonstrate the value and reliability of our products and services.

Love and Respect,

M. Sinan Akiman, Defne B. Akiman, Akan N. Akiman
Executive Board
AmmoDyn, Corp. , TX

AMMODYN, CORP.

Estimados Amigos,

AmmoDyn, Corp. es una empresa familiar con sede en Los Ángeles, California, y constituida en Dallas, Texas. Ofrecemos una línea completa y de precio competitivo de municiones livianas de alta calidad que cumplen con las especificaciones de la OTAN (Categoría III de la Lista de Municiones de EE. UU.).

Con acuerdos de producción en Turquía y Bulgaria, tenemos acceso a algunas de las mejores pólvoras del mundo, lo que nos permite ofrecer municiones que cumplen con las especificaciones exactas suministradas a más de 32 países de la OTAN en todo el mundo, incluido el Departamento de Defensa y las Fuerzas Armadas de los Estados Unidos.

Nuestra gama de municiones FMJ para uso civil y militar ofrece una precisión consistente de ángulo de minuto (MOA), equiparable a la munición de especificación militar, gracias a nuestros estrictos estándares de producción. Además, ofrecemos la reconocida línea de MKE de Turquía, con líneas completas de especificación OTAN tanto para uso civil como militar.

Nuestro catálogo de productos también muestra diversas opciones de envío y embalaje adaptadas a cada producto, incluidos tamaños de caja no convencionales diseñados para un manejo eficiente y rentabilidad.

Somos una operación principalmente al por mayor, y por lo tanto, podemos ofrecer no solo un compromiso inquebrantable con la calidad, sino también precios imbatibles. Nuestro objetivo es establecer una asociación mutuamente beneficiosa y duradera. Esperamos con mucho interés la oportunidad de demostrar el valor y la confiabilidad de nuestros productos y servicios.

Atentamente,

M. Sinan Akiman, Defne B. Akiman, Akan N. Akiman
Consejo Directivo
AmmoDyn, Corp. , TX

PRODUCTS

Sentinel Guard

9x19mm Luger FMJ 115 Grain 1

.308 WIN 2

12 Gauge 1 1/8oz 2.75in Rifled Slug Shotgun Shell 3

12 Gauge 2.75in 9 Pellet 00 Buckshot Shotgun Shell 4

Peacemaker Line

M193 Ball NATO 5.56x45mm FMJ 5

M80 Ball NATO 7.62x51mm FMJ 6

9x19mm Parabellum FMJ 7

Providence Line

M855 Ball NATO 5.56x45mm FMJ 8

M61 NATO Armor Piercing 7.62x51mm FMJ 9

M33 Ball NATO 12.7x99mm FMJ 10

Sentinel Guard


9x19mm Luger FMJ 115 Grain

	SPECIFICATIONS	MRAD	MOA
PRODUCTION	Bullet	115gr (7.5g)	~ 0.2645oz
	Jacket Material	Tombac / CuZn30	
	Core Material	Antimonial Lead	
	Case Material	Brass CuZn30	
	Case Length	~ 19.15mm	~ 0.754 inches
	Cartridge Length	~ 26.69mm	~ 1.051 inches
	Primer	9mm Primer, Non-Corrosive Boxer	
	Powder Type	Spherical, Double Base Powder	
PERFORMANCE	Velocity	350 ± 10m/s at 16m	~ 383 ± 11yrds/sec at 17.5 yards ~ 1148 ± 33ft/sec at 52.5 feet
	Chamber Pressure	Max. 2350bar	Max. 15.20 tons of force per square inch
	Accuracy (SD)	Max. 76mm at 50m	~ 3 inches at 55 yards
	Action Time	< 3ms	
	Extraction Force	Min. 20.4kgf	Min. 200.4 N

PACKAGING

50 rounds per cardboard box

20 cardboard boxes (1,000 rounds) per case






Sentinel Guard

.308 WIN FMJ 149 Grain

	SPECIFICATIONS	MRAD	MOA
PRODUCTION	Bullet	149gr (~9.65g)	~ 0.3404oz
	Jacket Material	Tombac CuZn10	
	Core Material	Antimonial Lead	
	Case Material	Brass CuZn30	
	Case Length	~ 51.18mm	~ 2.014 inches
	Cartridge Length	~ 71.1mm	~ 2.799 inches
	Primer	5.3 Primer, Non-Corrosive Boxer	
	Powder Type	Spherical, Double Base Powder	
PERFORMANCE	Velocity	830m/s at 5m	~ 908yrds/sec at 5.5 yards ~ 2723ft/sec at 16.4 feet
	Chamber Pressure	Max. 4150bar	Max. 26.9 tons of force per square inch
	Accuracy (SD)		
	Action Time	Max. 4ms	
	Extraction Force		

PACKAGING

20 rounds per cardboard box
10 cardboard boxes (200 rounds) per PVC bag
10 PVC bags (2,000 rounds) per wooden case





Sentinel Guard

12 Gauge 1 1/8oz 2.75in Rifled Slug Shotgun Shell

in-stock 2025 production factory-new

PRODUCTION & PERFORMANCE

SPECIFICATIONS	MRAD	MOA
Caliber	12 ga.	
Brass Height	16mm	~ 0.629 inches
Case Height	70mm	~ 2.75 inches
Weight	32 gr.	1 1/8 oz
Wad	Plastic	
Lead Shot Size	Standard	
Velocity	440m/s	~ 481.2yrds/sec ~ 1443.6ft/sec

FEATURES Reduced recoil

PACKAGING

10 rounds per cardboard box
20 cardboard boxes (200 rounds) per case





Sentinel Guard

12 Gauge 2.75in 9 Pellet 00 Buckshot Shotgun Shell

in-stock 2025 production factory-new

PRODUCTION & PERFORMANCE


SPECIFICATIONS	MRAD	MOA
Caliber	12 ga.	
Brass Height	16mm	~ 0.629 inches
Case Height	70mm	~ 2.75 inches
Gr.	34 gr.	
Wad	Bior	
Lead Shot Size	8.6mm	~ 0.339 inches
Velocity	420m/s	~ 459.3yrds/sec ~ 1378ft/sec

FEATURES Reduced recoil

Futurum. Melius. AmmoDyn, Corp.

PACKAGING

10 rounds per cardboard box
20 cardboard boxes (200 rounds) per case





Peacemaker Line

5.56x45mm FMJ


M193 Ball | NATO standard

	SPECIFICATIONS	MRAD	MOA
PRODUCTION	Bullet	55gr (~3.56g)	~ 0.1256oz
	Jacket Material	Tombac CuZn10	
	Core Material	Antimonial Lead	
	Case Material	Brass CuZn30	
	Case Length	~ 44.7mm	~ 1.760 inches
	Cartridge Length	~ 57.4mm	~ 2.260 inches
	Primer	4.4 Primer, Non-Corrosive Boxer	
	Powder Type	Spherical, Double Base Powder	
PERFORMANCE	Velocity	960 ± 20m/s at 24m	~ 1050 ± 22yrds/sec at 26 yards ~ 3150 ± 66ft/sec at 79 feet
	Case Mouth Pressure	Pavg. + 3SD ≤ 4450bar	≤ 28.79 tons of force per square inch
	Port Pressure	Port - 3SD > 1030bar	> 6.66 tons of force per square inch
	Accuracy (SD)	Max. 50.8mm at 180m	~ 2 inches at 197 yards
	Action Time	< 3ms	
	Extraction Force	Min. 20.4kgf	Min. 200.4 N
	Waterproof	Yes	
	Temperature range	-54°C to +52°C	-65.2°F to +125.6°F

PACKAGING

30 rounds per cardboard box

50 cardboard boxes (1,500 rounds) per case





Peacemaker Line

7.62x51mm FMJ

M80 Ball | NATO standard

in-stock 2025 production factory-new


	SPECIFICATIONS	MRAD	MOA
PRODUCTION	Bullet	149gr (~9.65g)	~ 0.3404oz
	Jacket Material	Tombac CuZn10	
	Core Material	Antimonial Lead	
	Case Material	Brass CuZn30	
	Case Length	~ 51.18mm	~ 2.015 inches
	Cartridge Length	~ 71.12mm	~ 2.8 inches
	Primer	5.3 Primer, Non-Corrosive Boxer	
	Powder Type	Spherical, Double Base Powder	
PERFORMANCE	Velocity	833 ± 15m/s at 24m	~ 911 ± 16yrds/sec at 26 yards ~ 2733 ± 49ft/sec at 79 feet
	Case Mouth Pressure	Pavg. + 3SD ≤ 4450bar	≤ 28.81 tons of force per square inch
	Port Pressure	Min. 550bar	Min. 3.56 tons of force per square inch
	Accuracy (SD)	Max. 200mm at 550m	~ 8 inches at 601 yards
	Action Time	< 4ms	
	Extraction Force	Min. 27kgf	Min. 265 N
	Waterproof	Yes	
	Temperature range	-54°C to +52°C	-65.2°F to +125.6°F

PACKAGING

20 rounds per cardboard box

25 cardboard boxes (500 rounds) per case






Peacemaker Line

9x19mm Parabellum FMJ 124 Grain
NATO STANDARD

	SPECIFICATIONS	MRAD	MOA
PRODUCTION	Bullet	124gr (8g)	~ 0.2822oz
	Jacket Material	Tombac / CuZn30	
	Core Material	Antimonial Lead	
	Case Material	Brass CuZn30	
	Case Length	~ 19.15mm	~ 0.754 inches
	Cartridge Length	~ 26.69mm	~ 1.051 inches
	Primer	9mm Primer, Non-Corrosive Boxer	
	Powder Type	Spherical, Double Base Powder	
PERFORMANCE	Velocity	370 ± 10m/s at 16m	~ 405 ± 11yrds/sec at 17.5 yards ~ 1214 ± 33ft/sec at 52.5 feet
	Case Mouth Pressure	Pmax + 3SD < 2850bar	Max. 18.44 tons of force per square inch
	Accuracy (SD)	Max. 76mm at 50m	~ 3 inches at 55 yards
	Action Time	< 3ms	
	Extraction Force	Min. 20.4kgf	Min. 200.4 N
	Waterproof	Yes	
	Temperature Range	-54°C to +52°C	-65.2°F to +125.6°F

PACKAGING

50 rounds per cardboard box
20 cardboard boxes (1,000 rounds) per case






Providence Line

5.56x45mm FMJ
M855 Ball NATO

	SPECIFICATIONS	MRAD	MOA
PRODUCTION	Bullet	62gr (~4.0g)	~ 0.1411oz
	Bullet Length	23.4mm	~ 0.921 inches
	Jacket Material	Tombac	
	Core Material 1	Antimonial Lead	
	Core Material 2	Steel	
	Case Material	Brass	
	Case Length	~ 44.7mm	~ 1.760 inches
	Cartridge Length	~ 57.4mm	~ 2.260 inches
	Primer	4.4 Primer, Non-Corrosive Boxer	
	Powder Type	Spherical, Double Base Powder	
PERFORMANCE	Velocity	920 ± 20m/s at 24m	~ 1006 ± 22yrds/sec at 26 yards
			~ 3018 ± 66ft/sec at 79 feet
	Case Mouth Pressure	Pmax + 3Sd < 4450bar	≤ 28.79 tons of force per square inch
	Port Pressure		> 6.66 tons of force per square inch
	Accuracy (SD)	Max. 200mm at 550m	~ 7.87 inches at 601 yards
	Action Time	< 3ms	
	Extraction Force	Min. 20.4kgf	Min. 200.4 N
	Waterproof	Yes	
	Temperature range	-54°C to +52°C	-65.2°F to +125.6°F

PACKAGING

30 rounds per cardboard box
15 cardboard boxes (450 rounds) per PVC bag
5 PVC bags (2,250 rounds) per wooden case





Providence Line

7.62x51mm FMJ
M61 NATO Armor Piercing

	SPECIFICATIONS	MRAD	MOA
PRODUCTION	Bullet	150gr (~9.75g)	~ 0.3439oz
	Bullet Length	32.2mm	~ 1.268 inches
	Jacket Material	Tombac	
	Core Material 1	Antimonial Lead	
	Core Material 2	Steel	
	Case Material	Brass	
	Case Length	51.18mm	~ 2.015 inches
	Cartridge Length	71.12mm	~ 2.8 inches
	Primer	Non-Corrosive Boxer	
	Powder Type	Double Base Powder	
PERFORMANCE	Velocity	838 ± 10m/s at 16m	~ 916 ± 11yrds/sec at 17.5 yards ~ 2749 ± 33ft/sec at 52.5 feet
	Pressure	≤ 3800bar	≤ 24.59 tons of force per square inch
	Accuracy	19cm at 550m	~ 7.48 inches at 602 yards
	Action Time	< 4ms	
	Extraction Force	Min. 27kgf	Min. 265 N

PENETRATION

The bullet of the sample cartridges shall demonstrate complete penetration of 6 mm thick nickel-chromium steel plate target located 100 meters from the weapon.

PACKAGING

20 rounds per cardboard box
10 cardboard boxes (200 rounds) per PVC bag
5 PVC bags (1,000 rounds) per wooden case




Providence Line

12.77x99mm FMJ
M33 Ball NATO

	SPECIFICATIONS	MRAD	MOA
PRODUCTION	Bullet	653gr (~42.31g)	~ 1.4924oz
	Jacket Material	Tombac	
	Core Material	Steel	
	Cup Closure	Brass	
	Filler Point	Antimonial Lead	
	Case Material	Borax	
	Case Length	~ 99.31mm	~ 3.910 inches
	Cartridge Length	~ 138.4mm	~ 5.45 inches
	Primer	12.7mm Primer, Non-Corrosive Boxer	
	Powder Type	Spherical, Double Base Powder	
PERFORMANCE	Velocity	887 ± 12m/s at 24m	~ 970 ± 13yrds/sec at 26 yards ~ 2910 ± 39ft/sec at 79 feet
	Case Mouth Pressure	Pmax + 3sd < 4500bar	< 29.12 tons of force per square inch
	Accuracy (SD)	Max. 30cm at 550m	~ 11.81 inches at 601 yards
	Action Time	< 4.5ms	
	Extraction Force	Min. 91.7kgf	Min. 900 N
	Waterproof	Yes	
	Tempreature Range	-54°C to +52°C	-65.2°F to +125.6°F

PACKAGING

30 rounds per cardboard box
15 cardboard boxes (450 rounds) per PVC bag
5 PVC bags (2,250 rounds) per wooden case







www.ammodyn.com
info@ammodyncorp.com

Win over Hearts & Minds